

Stock Clearance of a Machine Dealer

105 lots

Bidding ends:

Wednesday, 16 January 2019, from 10am (local time)

Viewing:

Monday, 14 January 2019, from 10am to 12pm (local time)
and by prior appointment

We will auction off approx. 100 valuable items, e.g.

- ITALPRESSE FORMATIC 25-11/P Membrane Press
 - SCM TECH 99L Machining Centre
- MORBIDELLI AUTHOR 504 Machining Centre
 - TECNOMAC TWISTER Band Saw
- MASTERWOOD OMB1 CN1 Machining Centre
 - OMGA BA 525 A Assembling Bench
 - SCM METHOD Angular Plant for Windows

Bids are welcome immediately and can be placed at:
www.surplex.com

| Lot | Description | Lot | Description |
|-----|--|-----|---|
| 1 | PIZZI 9033 Gluing Machine, With 2 glue dispensers | 34 | MEBER OPERA 2500 Frame Press, Max operating size 2500 x 1700 mm, engine power 1,5 kW |
| 2 | PIZZI 9037 Gluing Machine, With 2 dispensers | 35 | COSTRUZIONI MECCANICHE CP86/800 Boring Machine, Power 1,5 kW |
| 3 | PIZZI 9038 Gluing Machine, With 3 dispensers | 36 | SICAR FAX GT500S Boring Machine, Vertical boring head: Power 1 kW. Horizontal boring head: Power 1,5 kW |
| 4 | COSTRUZIONI MECCANICHE K50 Edgebander, Edges max height H50 | 37 | CASATI Boring Machine, Boring head with 8 spindles, vertical head stroke approx. 120 mm, power 1,1 kW |
| 5 | COSTRUZIONI MECCANICHE K75M Edgebander, Edges max height H50 | 39 | SAMCO LP Belt Sander, Tabletop size 800 x 800 mm, sanding belt width 150 mm |
| 7 | PADE 1000 Combined Machine, End cutting machine, drilling machine, moulder, sliding tabletop whose size is 430 x 360 mm, moulder shaft Ø 30 mm | 40 | Pantograph, Power 2000 W, head stroke 200 x 200 x 25 mm |
| 9 | ROBUR Hot Air Generator, See photo | 41 | BIESSE ROVER 346 PALLET Machining Centre, 3 axis, pantograph with tool change, boring unit, operating area size 3120 x 1400 mm |
| 13 | EV ELIO VALERI Lathe for Wood, Max operating width 1000 mm, max operating Ø 350 mm | 43 | OMGA TR2A Double Miter Saw, Max cutting length 3800 mm, blades Ø 300 mm |
| 18 | SCM P 4 F Profile Grinding Machine, Shafts Ø 40 mm, vertical shafts length 100 mm, horizontal shafts length 180 mm, COMPOSITION: 1° shaft from below, 2° shaft from the right, 3° shaft from the left, 4° shaft from above | 44 | MASTERWOOD OMB1 CN1 Mortising Machine, See photo |
| 20 | LICON Panel Press, Max operating size 1300 x 2300 mm | 45 | SACOT SAC/M Stacker, See photo |
| 24 | LAR Disc Sanding Machine, With double sanding disc Ø 780 mm, tabletop size 980 x 400 mm, tables inclination 5° - 35° | 46 | SCM METHOD Windows Production Machine, Tenonig shaft 600 mm, profiling shaft 600 mm, clamping glass conveyor |
| 26 | LV1700 Belt Sander, Tabletop size 280 x 300 mm, sanding belt width 30 mm | 48 | OMGA T188 Milling Machine, Max operating width 50 mm, power 3,25 kW |
| 27 | Disc Sanding Machine, Tabletop size 63 x 63 mm, sanding belt width 180 mm, sanding head Ø 160 mm variable according to the belt, tilting table | 51 | CASATI MACCHINE Arch machine, With arch stamp length 2100 mm, height 400 mm |
| 28 | OMGA AL309P OMGA Miter Saw, Blade Ø 330 mm, hole Ø 32 mm, power 2.2kW | 55 | Double Miter Saw, Blades Ø 350 mm, power 5,5 HP |
| 30 | Belt Sander, Tabletop size 700 x 500 mm, sanding belt width 40 mm | 57 | MARZANI PROGETTI FAB 1200 Machining Center, Boring and slot mortiser unit, chisel mortiser unit, horizontal/vertical milling unit, 1° bar mm 4500 x 170 - 2° double bar mm 4500 x 245 mm, for spare parts |
| 31 | INDUSTRIE MACCHINE ANU 15TM Column Drill, Tabletop size 390 x 360 mm, spindle vertical stroke 80 mm, engine power 3 HP | 58 | MASTERWOOD SM2 Bevelling Machine, See photo |
| 33 | ITALPRESSE NUOVO PROGRAM Frame Press, Max operating size 2800 x 1700 mm, engine power 1,5 kW | 59 | Mortising Machine, 3 heads |
| | | 60 | MASTERWOOD EMP 90 Shutter Mortiser, Shutter Mortiser |
| | | 61 | Lot of Sanding Belts, Abrasive paper rolls, various weight. Height between 110 and 300 mm. |

| Lot | Description | Lot | Description |
|-----|---|-----|--|
| 70 | ATLAS COPCO GA 208 Compressor, Boiler & Refrigeration Dryer, Power 15 KW | 93 | P.V. TECNIC FRT5 Deburring machine for PVC, Max working width 100 mm, blade diameter 300 mm |
| 72 | CECCATO RL50/10 Compressor, Power KW 37 - HP 49 | 94 | P.V. TECNIC SA22 Deburring machine for PVC, Max working length 2900 mm, max working width 120 mm |
| 73 | CECCATO RL40/10 Compressor, Power KW 30 - HP 40 | 95 | LAMBORGHINI LGE100 OUT Hot air generator, Flow rate 7800 mc / h, power 1.5 KW |
| 74 | CECCATO CRA75 H Compressor, Power KW 55 - HP 75 | 96 | VEGA 88 Manual polishing machine, Brush diameter 110 mm, power 0.5 HP, speed 1450 rpm |
| 75 | ALUP SCK428 Compressor, Power KW 30 - HP 40 | 97 | SPA Electricity generator, DIESEL fuel, power 20 KW, 250 KVA |
| 76 | FINI PLUS 25 Compressor, Power KW 19 - HP 25 | 98 | MASTERWOOD PROJECT 327 Machining Centre, Horizontal spindle, pantograph, drilling head, power 24 KW, 6 support bars, working dimension about 3100 x 1140 mm |
| 77 | ATLAS COPCOGA Compressor, Power KW 50 - HP 67 | 100 | OMGA V313 Double head mitre saw, Blade diameter 300 mm |
| 78 | ROLLAIR 75 Compressor, Power KW 55 - HP 75 | 101 | BULLERI F35 Spindle moulder, Shaft diameter 35 mm, table dimension 1020 x 670 mm |
| 79 | ROLLAIR 4000BX Compressor, See photos | 102 | STEMA T50 Spindle moulder, Shaft diameter 35 mm, table dimension 2410 x 400 mm |
| 80 | MATTEI AC140 Compressor, Power KW 22 - HP 30 | 103 | ESSE EFFE FK130 Spindle moulder, Shaft diameter 40 mm, table dimension 1100 x 1000 mm |
| 81 | MARK RSA150DZPS Compressor, Power KW 11 - HP 15 | 104 | GUILLET Surface Planer, Table dimensions 2520 x 520 mm, working width 500 mm |
| 82 | BRANDT OPTIMAT KD78 Edgebander, Gluing unit, end trimming unit, trimming unit, scraping scraper, brush assembly | 106 | Lot of 3 wire planing machines, 1x GUILLET, table dimension 2020 x 520 mm, working width 500 mm |
| 83 | IMA QUADRIMAT 3012 Edgebander, Gluing unit, end trimming unit, trimming unit, scraping scraper, brush assembly | | 1x table dimension 1780 x 310 mm, working width 300 mm |
| 84 | IDM IDIMATIC Edgebander, Gluing unit, end trimming unit, trimming unit, scraping scraper, brush assembly | | 1x KIRCHNER LEIPZIC table dimension 2480 x 460 mm, working width 450 mm |
| 85 | GRECON DIMTER OPTICUT 104R Optimizing Saw, Blade diameter 500 mm, max cutting size 100 mm | 107 | TSX3 Sliding Table Saw, Diameter of inclinable blade 400 mm, scoring, sliding length 3000 mm |
| 86 | BOTTENE RX5000 Optimizer Saw, Blade diameter 500 mm, max cutting size 100 mm | 108 | TSM Sliding Table Saw, Fixed blade, sliding length 2500 mm |
| 87 | MARZANI MULTICENTER FB800 Milling Machine, Mortising Machine, Max working dimension 3800 x 900 mm | 109 | L'ARTIGIANA Sliding Table Saw, sliding length 2500 mm |
| 88 | MACPOL FASTWORK 1200 BF-CT Milling & Slot Mortising Machine, Max working dimension 3200 x 1200 mm | 111 | ITALMECCANICA ONLYWOOD/6AV Brushing Machine, 2x vertical brushes height 120 mm, upper and lower brush length 1600 mm, floor length in entrance 500 mm, floor length in exit 850 mm |
| 89 | Band Saw, Flywheel diameter 900 mm, table dimension 830 x 1260 mm | | |
| 90 | Band Saw, Flywheel diameter 900 mm, table dimension 830 x 1260 mm | | |
| 91 | BONGIOVANNI Band Saw, Flywheel diameter 800 mm, table dimension 900 x 1030 mm | | |
| 92 | Band Saw, Flywheel diameter 800 mm, table dimension 750 x 1140 mm | | |

| Lot | Description | Lot | Description |
|-----|---|-----|---|
| 112 | ITALMECCANICA Rollerwood 9/A Brushing machine, Working width 1300 mm | 131 | CAPPELLANO Pantograph, With 2 bars, working size about 2000 x 900 mm |
| 113 | BONFANTI 4-Shafts Moulder, 1st shaft from underneath length 160 mm, 2nd shaft from right side length 120 mm, 3rd shaft from left length 120 mm, 4th shaft from above length 160 mm | 132 | STEFANI ACTIVA/1-78 Edgebander, See photos |
| 114 | SPANVELLO 185 MAC 5-Shafts Moulder, 1st shaft from below length 180 mm, 2nd shaft from the right length 160 mm, 3rd shaft from the left length 160 mm, 4th shaft from above length 160 mm, 5th universal shaft | 133 | MECAL FR262 Alluminium drilling machine, Drilling machine for bands and plinths, 2 spindles per head, see photos |
| 115 | SICAR SC16A 6-Shafts Moulder, 1st shaft from underneath length 160 mm, 2nd shaft from right side length 160 mm, 3rd shaft from left length 160 mm, 4th shaft from above length 160 mm, 5th -6th mast over / under length 160 mm | 134 | MECAL FR603 Milling Machine, Milling machine with 3 heads, 5.8 KW power, max diameter of 80 mm burs |
| 116 | RULLIERE Lot of roller conveyors, Roll width 490 mm, 45 pieces of 2500 mm each | 135 | TERMOPACK Frame Press, Belt conveyor width 2350 x 660 mm, max working dimension approx. 2400 x 1400 mm |
| 117 | MORBIDELLI AUTHOR 502 Machining Centre, Power 17 KW | 136 | OM Electric forklift, Load capacity 600 kg, max lifting height 3000 mm |
| 118 | MORBIDELLI 6X20 Drilling Machine, N ° 5 vertical drilling heads with 20 drills per head | 137 | Machining Centre, 3 axes electro-spindle, drilling head, liquid spindle cooling, OSAI control, POSSIBLE RETREAT ONLY WITH EXCEPTIONAL TRANSPORT !! |
| 119 | LARI & LARI LARY & BROGI ST400 Machining Centre, 3-head-mortising machine | 138 | EMME ELLE 1200 GLC Veneer Splicing Machine, Tape size 7 + 7 mm, max working width 1200 mm |
| 120 | Lot of timber, See photos | 139 | LA SCOLPITRICE 251 RBT 20-20 5-Axis CNC Copy Router, Weight approx. 5500kg, Dimensions (l x w x h) approx. 7500 x 2350 x 2000mm, CNC SCULPTING MACHINE - 5 AXIS - LA SCOLPITRICE 251 RBT 20-20 manufacturing year 1998 operating hours 6930 20x tailstocks 20x spindles with double outlet interaxis 200 mm operating length: 250 mm min - 1500 mm max axis nulling device Robox electric cabinet composed of air conditioner Italian/English control panel Italian/English user manual voltage 380 V-50Hz three-phase |
| 121 | OMGA BA782FPA Bench for finishing doors and windows, Side width 3800 mm, roll height 200 mm | | Shipment dimension: 1 machine body 7500 x 2350 x 2000 mm 1 electric cabinet 1800 x 600 x 2200 mm |
| 122 | BULLERI 7 Double head mitre saw, Power 3 KW | | |
| 123 | MONGUZZI TRO2025 Shear, Maximum cutting width 2000 mm, power 5.5 hp, trailing edge stroke 700 mm | | |
| 124 | SAC INVICTA MAS40 Slot Mortiser, Power around 3 HP | | |
| 125 | Slot Mortiser, Power around 3 HP | | |
| 126 | UNIMAC Mortising Machine, 1 mortising machine head, with 3 bars of 1200 mm | | |
| 127 | BROVIND OB500 Dowel Insertion Machine, 6-head - dowel Insertion Machine | | |
| 128 | DMC EUROPA120 Calibrating Machine, Working width 1200 mm, 1 roller and 1 pad, carpet with depressor | | |
| 129 | VEGA Brushing Machine, Support plane dimension 1000 x 1000 mm, power 0.5 HP, speed 1380 rpm | | |
| 130 | STEMA Calibrating Machine, With 1 roller, width 900 mm | | |

| Lot | Description | Lot | Description |
|-----|--|-----|-------------|
| 140 | <p>LA SCOLPITRICE 201 16-27 CNC Sculpting Machine, Weight approx. 4000kg, Dimensions (l x w x h) approx. 6500 x 2350 x 2000mm, SCULPTING MACHINE WITH 16 BITS - LA SCOLPITRICE 201 16-27 16x tailstocks 16x double outlet spindles 2x high-speed converters interaxis 270 mm Operating length: min 300 mm - max 1550 mm Hubs for rough workpieces user manual, languages: Italian, English, French, Spanish + circuit diagram</p> <p>Shipment dimension: 1 machine body 6500 x 2350 x 2000 mm 1 electric cabinet 800 x 400 x 2200 mm 1 converter 1000 x 850 x 500 mm</p> | | |
| 141 | <p>Set of Tools for Sculpting Machine, Lot composed of approx. 600 tools for sculpting machine, new and used.</p> | | |
| 142 | <p>AZS Gluing Machine, Rollers width 1300 mm. See photo</p> | | |

Please contact us!

Surplex • Wahlerstraße 4 • 40472 Düsseldorf
Tel.: +49 (0)211 422737-0
Fax: +49 (0)211 422737-17
info@surplex.com

About Surplex



Second-hand machines: solutions

Surplex was established in 1999 as a purely Internet-driven marketplace. Today the company is among the leading European providers with a full range of services in the market for second-hand machines and is active on a worldwide basis.

The core of our business is the sale of used machines and plants for the metal, woodwork and synthetic material industries. Mostly we sell fast and efficiently directly from the location of the machine. Wherever possible, our customers will be able to inspect the machine thoroughly with regard to its condition whilst still in the production stage.

Machines that do not stay with the vendor will be disassembled by trained experts and marketed directly from the warehouse. Again we provide prospective buyers with comprehensive technical information, videos etc. These so-called "sales by private contract", which you can find in our Internet marketplace, are always used in cases where individual machines or small quantities of industrial goods are to be sold.

If large quantities of remaining stocks, entire machine parks or complete plants are to be sold, industrial auctions are the means of choice. In this area, Surplex has particular strengths. Names such as ABB, Bayer, Daimler, Linde and ThyssenKrupp are found on the reference list. We accept all tasks before, during and after an auction. This includes, for example, the valuation and stocktaking of the machines and also clearing the workshops and their handover in a swept clean condition.

In this way, Surplex integrates the expertise of machine dealers, agents and industrial liquidators and provides solutions all from a single source!

All machine offers and auctions can be found at www.surplex.com.

Surplus machinery in stock?

Surplex buys at fair conditions!

You know Surplex as one of the European leads in the sale and valuation of used machinery.

But do you know our whole range of activities, e.g. purchase of used machinery, appraisals, removals, storages and closure of industrial plants?

Please contact:

Tel: +49 (0)211 422737-0 or info@surplex.com



www.surplex.com