

Surplex Woodworking Auction (Northern Italy)

185 lots

Bidding ends:

Thursday, 17 January 2019, from 10am (local time)

Viewing:

Tuesday, 15 January 2019, from 10am to 12pm (local time)
and by prior appointment

We will auction off Panel saws, edge banding machines, CNC machining centres, standard machines, factory equipment, and lots more - great value at auction!

Important:

1. The item list is being continuously updated - please check back regularly!
2. In most cases, several items are located at a single site - please sort the list by 'location'

Bids are welcome immediately and can be placed at:
www.surplex.com

Lot	Description	Lot	Description
1	FEMI 504 Belt Sander, Power 1.2 HP, tape width 120 mm, tape length about 1520 mm	15	SAFOP FC 72 M Lathe for metal, Max working length about 1200 mm, with self-centering head outer diameter 250 mm, internal diameter 70 mm, see photo
2	CASATI MS Dovetail joints machine, With 20 slots, power 0.736 KW	17	BREVETTO Chain sharpener, Sharpening machine for chains mortising and chainsaw, power 0.5 HP, with tripod
3	Shear, Cutter for edges and veneers, max working width 250 mm, power 0.33 HP, table dimension 500 x 500 mm	18	QUICKWOOD RO 1300 1/T Brushing Machine, Max working width 1300 mm Max working thickness 100 mm Brushes speed 380 - 1200 rpm Rotation speed 3 - 12 rpm brushes width 500 mm
4	SICUTOOL Welding machine for band saw blades, Blade width 20 - 60 mm	20	Heater, Power supply: wood, with water circulation pump, oil burner, thermostat
5	KUFO UFO-80 Suction System, With 1 bag diameter 350 mm, power 3 HP, bag height 650 mm, with section for floor suction	21	Veneer splicig machine, See pictures
6	CMA Buffing Machine, Buffing machine for tenons, table dimension 700 x 140 mm, disc diameter 200 mm, power 1.5 KW	22	Lot of grease presses, Lot consisting of 5 greasers, with 1 can of fat each
7	CP UTENSILI Lot of Milling Tools, Lot consisting of 2 milling cutters, length 190 mm, 2 burs, length 130 mm, external diameter 120 mm, internal diameter 40 mm	23	Lot of various accessories, Lot of various accessories, see photos
8	Lot of Milling Tools, Lot consisting of 4 cutters of various sizes, see photos for technical data	24	Lot of straps, Lot of rubber straps of various sizes, see photos
9	OGAM PO 190 Multi-Blade Saw, Max working height 90 mm, blade diameter 250 - 300 mm, shaft diameter 60 mm, shaft speed 4600 rpm, with 2 roller conveyors, 1x dimension 1650 x 600 mm, 1x dimension 1250 x 600 mm	25	Lot of knives, Lot consisting of knives of various sizes and shapes, see photos
10	SATURNO Moulder, Max working width 110 mm, max working height 70 mm, shaft diameter 30 mm, COMPOSITION: 1st shaft from below, 2nd shaft from right, 3rd shaft from left, 4th shaft from above, 5th shaft tiltable from above, 6th shaft from below / above	26	DISANO Lot of lights, Lot composed of 14 DISANO spotlights in cold light, for high pressure sodium vapor lamps, dimension 440 x 300 x 156 mm each, weight 6.3 kg each
11	LGF LTC 1500 Wooden Turning Lathe, Tip height 240 mm, max distance between tips 1500 mm, power 1.5 HP, with copier, mandrel cone MK3, with accessories, see photos	27	Lot of halogens, Lot consisting of 17 halogen headlights, power 1000 W, size 300 x 250 x 210 mm each
12	FREUD MULTIARC Milling machine for bows, Table dimension 1460 x 780 mm, with 2 rotation axes, FREUD FT 2000 pantograph, power 2010 W, speed 22000 rpm	28	Lot of milling tools, See pictures
13	MVM 850 Knife Grinding Machine, Power 2 Hp, spring diameter 120 mm, max working width 850 mm, inclination or - 5 °	29	Lot of electrical equipment, Lot consisting of various electrical equipment, see photos
14	OMAS S 1000 Woulding Device, Max stroke length 1000 mm, feed speed 0.5 - 5 m / min	30	Lot of toggle clamps, Lot consisting of 18 toggle clamps
		31	Lot of bits, See pictures
		32	Lot of wheels, Lot consisting of 17 wheels, of various sizes, see photos
		33	Lot of various tools, Lot consisting of 4 drills and 2 tips, see photo
		34	Lot of sanding discs, Lot consisting of 16 shaped sanding discs, see photos
		35	Lot of abrasive belts, Lot consisting of 9 belts, size 1150 x 2150 mm, 3 belts, size 1150 x 2620 mm

Lot	Description	Lot	Description
36	Lot of electrical outlets, Lot consisting of electrical sockets of various types, see photos	62	BCR K 75 MRI Pre-glued Edgebander, Working height 60 mm, applicable thickness 1 mm, working table 750 mm, air pressure 6 bar, single-phase engine
37	Grinding machine, See pictures	63	Edge trimmer, See photos
38	Table for chain mortiser, Cast iron top	64	ISEA SP Point welder, Power 14 KW/h, arm length 400 mm, pick up possible only between the 22nd and the 27th of July
39	Moulder protections, See pictures	65	EINHELL HSP 51 Wood chipper, Max operating Ø 250 mm, max operating length 520 mm
40	SIPA 600 Band saw, See pictures	66	OCMAC HS 18 Edgebander, Edge height 10 - 60 mm, edge thickness 0,6 - 3 mm, gluing unit, shear max thickness 2 mm, 3 pressure rollers, tilting trimming unit, power 13 KW, operating pressure 6-7 bar
41	Feeding system, With 3 rollers	67	MASTERWOOD SM 2 Buffing Machine, With mould for bars size 10 x 45 mm
42	ELETTROMECCANICA GENERALE Miter saw, Blade diameter 250 mm, power 1.2 HP	68	CERVA SN 800 Band saw, Flywheel Ø 800 mm; engine 4 KW
50	MASTERWOOD OMB 1V Mortising Machine, Power 3 HP, vertical stroke 150 mm, 270 mm longitudinal stroke, 80 mm cross stroke, vertical stroke 260 mm, max working height 1000 mm, working pressure 6 bar	69	PAGANI Band saw, Flywheel Ø 800 mm; engine 4 KW
51	BCR K 100 BRI Edgebander, For pre-glued edges, max working height 70mm, blanking machine, gluing unit, edge pressure unit, trimmers and motorized feed system	70	PIZZI 9037 Gluing machine, Automatic gluing machine for tenoner without tank
52	OMG EPM 70 Shutter Mortising Machine, Working thickness max 100 mm, working width max 140 mm, 2 motors, full 2 HP, pneumatic movement	71	EYEREX Welding Helmet, See photo
53	MASTERWOOD PROJECT 309 Machining Centre, X axis course 2200 mm, stroke Y axis 900 mm, stroke Z axis 60 mm, 1 electromadrino power 4 KW, 9 vertical drilling bits, 2 horizontal drilling holes on the X axis, 1 horizontal drilling bit on the Y axis	72	Portable Air Conditioner, See photo
54	ISVE Impregnating machine for beams, With loading and unloading roller conveyor, see photos	73	SGCP CB 1 Mortising Machine, Table size 1000 x 250 mm, horizontal stroke 150 mm, vertical stroke 90 mm, table height 890 mm, power 3 HP
55	LAMELLO STANDARD Grooving milling machine, See photos	74	MUTI Mortising Machine, Table size 1000x250 mm Longitudinal table stroke 400 mm Transversal table stroke 150 mm Head vertical stroke 90 mm Working table height 890 mm Power 3 Hp
56	MARZANI Frame Press, Max working dimension 3000 x 1700 mm, power 2 KW, with rack for pneumatic insertion shutters	75	SGCP Mortising Machine, See photos
57	TRIUMPH 5 OM Frame Press, Max working dimension 3000 x 1700 mm, power 2 KW, with rack for pneumatic insertion shutters	76	SICAR FAXINA Boring inserting machine, The machinery, linked with the boring head, allows drilling process and anuba hinge screwing on doors and windows' frame. Right and left.
58	OMA Band Saw, Flywheel diameter 700 mm power 4 KW		
60	ARTIGLIO AGF 400 Band Saw for roof beams, Cutting height 260 mm, Cutting width 380 mm, Hp2, stroke on the jib 1450 mm, rotation 360 °, machine dimensions: 680 x 400 x 2000; 2460 x 1800 x 2000		
61	Lot of Milling Tools, Lot composed of 8 milling tools, see photos		

Lot	Description	Lot	Description
77	CIPSY Vertical boring machine, The machinery, linked with the boring head, allows drilling process and anuba hinge screwing on doors and windows' frame. Right and left.	85	MASTERWOOD OMB 1 V - CE Vertical Mortising Machine, Power 3 HP, head vertical stroke 150 mm, longitudinal stroke 270 mm, head diagonal stroke 80 mm, tabletop vertical stroke 260 mm, door max height 1000 mm, operating pressure 6 bar
78	STEFANI EXECUTIVE Edgebander, Machine with glue tank, applicable edges, min height 10 mm, max height 60 mm, roll min thickness 0,6 mm, max 3 mm, slat min thickness 1 mm, max 20 mm, machine composed of: gluing unit, cutting unit, overlapped trimming unit, tilted trimming unit	86	MUTI OM. B1P Mortising Machine, Tabletop size 1000 x 250 mm, tabletop diagonal stroke 400 mm, diagonal stroke 150 mm, head vertical stroke 90 mm, shaft surface height 890 mm, power 3 HP
79	OLIMPIC Edgebander, Applicable edges, min height 10 mm, max height 60 mm, min thickness 0,6 mm, max thickness 3 mm. Roll min thickness 0,6 mm, max 3 mm, slat thickness between 1 and 20 mm, machine composed of: gluing unit, shear un to 2 mm and 3 pressure rollers, tilting trimming unit, power 13 KW, air pressure 6/7 bar	87	FULGOR 120 KG Scale, See photo
80	HOLZMANN Vertical panel saw, Cutting capacity 4300 x 1900 mm, max thickness 5 mm, engine 3 HP	88	FULGOR 120 KG Scale, See photo
81	ABC 450 Pantograph, Max power 3 KW, tabletop size 700x600 mm. See photo	89	REMINGTON Air Burner, See photo
82	GMC Glue spreading machine, Gluing rollers length 1300 mm, passage max thickness 100	90	Corrugated Hoses Cutting and Sealing Machine, Gas fueled, in compliance with DVGW standards. See photo
83	MB SAF 300 Welder, See photo	91	ECOFLAM Generator, With hot air, methane powered
84	STEMAC LCRTV 1350 Calibrating machine, Calibrating/sanding machine with setting: roller - buffer - brush - vacuum belt, I unit: roller Ø 300 mm - strength 85 shore - sliding shoes - 2 speeds engine 15/19 HP, II unit: pneumatic buffer with 2 speeds engine 12/15 HP, III unit: SCOTCH BRITE brush with a 2 HP engine, perforated belt width 1350 mm, vacuum pump 5,5 HP, feeding system with speed variator 3 HP, belts length 2620 mm, floating tabletop, front and rear neutral roller conveyor	92	Lot of Milling Tools, See photo
		93	STAYER SC 250/B Mitre Saw, Blade diameter 250 - 300 mm
		94	V.ALBERTI INDEX SUPER - CN CE Machining Centre, 1 drilling head with 18 + 18 vertical spindles + 1 horizontal in Y + 1 horizontal in X, 2 Electric spindle power 9 Hp with automatic tool changer, 1 right milling tool power 7.5 hp, 1 horizontal rotary blade power 5 hp, blade inclination 0 ° - 45 °, 1 vacuum pump 150 mc/h, 6-position tools changer, Soundproof cabin, Working table size 3000 x 1300 mm
		95	BSS Pantograph, Engine power 4,5 HP, table top size 1100 x 800 mm. See photo
		96	AIGNER Protection guide for moulder, Protection guide for moulder, see photos
		97	FMB Edgebander, FMB Edgebander for curved pieces, max working height 100 mm, with tub for polyurethanic glue TECNOC SUSPENSION AZP 2 PU (2009) and STEFANI RFT 60 Trimming machine (1998)
		98	Lot of staplers, Lot composed of 2 staplers, staples width 35 mm

Lot	Description	Lot	Description
99	Band Saw Sharpener, See photos	207	AEG Milling machine for aluminum, Power 1.5 KW
100	KUPER 430 Veneer splicing machine, Working width 430 mm	208	GIESSE AUTOMATION Copying pantograph, Spindle diameter 6 mm
101	BMB K 14 Chain mortiser, Vertical stroke 160 mm, horizontal stroke 200 mm, power 1.5 HP	209	VALF SP 2 Dowel inserting machine for aluminum profiles, See photos
102	ZENITH Chain mortiser, Vertical stroke 180 mm, horizontal stroke 200 mm, power 2 HP	210	Buffing machine for aluminum, See photos
103	KUPER Z 650 Veneer splicing machine, Working width 650 mm	211	MECAL Tenoning machine for aluminum, With 6 shafts, see photos
104	OMS FC 350 R SUPER Miter saw, Blade diameter 350 mm, power 3 HP, cutting inclination + or - 45 °, with suction bench	212	MECAL Threading machine for aluminum, See photos
105	BCR K75 Edgebander, Edgebander for pre-glued pieces, max working height 75 mm	213	Suction system, For 1 bag diameter 350 mm, power 1.5 KW
106	Suction System, Bag diameter 500 mm, bag height 1100 mm, power 2 HP	214	STEFF T - LM Frame cutting machine, See photos
107	CASATI 500 Threading machine for drawers, With 21 slots, max working width 550 mm, power 1 HP	215	SGM Burner, Power supply: Diesel
108	ADOLFO ALBERTI BETA -450 Threading machine for drawers, With 19 slots, max working width 500 mm	216	Fan, Power 4 KW, see photos
109	Polishing machine, With 1 brush and 1 roller, power 1.5 HP	217	Lot of milling tools, Lot consisting of about 25 cutters, see photos
110	Polishing machine, 2 rollers, power 1.2 HP	218	FINI PULSAR/S 282 Compressor, Silenced, capacity 50 liters, power 1.8 kw
111	Office floor, Approx 54 square meters	219	Lot of milling tools, Lot consisting of about 25 cutters, see photos
200	SCM DOGMA Angular Plant for Doors and Windows, Machine dismantled and ready to be collected Workpiece length 220 to 3000 mm workpiece width 40 to 200 mm workpiece height 40 to 140 mm with crosscut saw engine 4 kW sawblade diameter max. 400 mm tenoning spindle diameter 50 mm for HSK S tools	220	MUTI OMB1 - ECO S Mortising machine, Max working depth about 100 mm, horizontal stroke about 350 mm
201	LADIR Belt sander, Table length 3000 mm, belt length about 8400 mm	221	Lot of milling tools, Lot consisting of about 12 cutters see photos
202	OMGA AL 125 P Milling machine for aluminum profiles, See photos	222	WIEKO Sharpener for bandsaw, Power 0.3 KW, see photos
203	FCM Suction system, With 12 suction sleeves, diameter 300 mm	223	Lot of milling tools, Lot consisting of about 16 cutters see photos
204	End cutting machine for aluminum profiles, See photos	224	HIRTZ B 164 Edgebander, For pre-glued edges
205	Wood turning leathes, Max working length about 300 mm	225	POLMAR Veneer splicing machine, Manual, see photos
206	MECAL Drilling machine for aluminum, 12 mm caliper diameter, center distance 30 - 190 mm	226	Cassette ratchets, 2 pieces, see photos
		227	MATO Feeding machine, With 3 wheels, 4 speeds, see photos
		228	MB Chain mortiser, See photos
		230	COMALL Lot of punching machines, Lot composed of various punching machines, see photos
		231	MGF 37/500 Compressed air system, Piston compressor, power 7.5 HP, tank for compressed air capacity 300 liters

Lot	Description	Lot	Description
232	FAGRIL Tenoning Machine, Shaft diameter 40 mm, vertical shaft length 160 mm, horizontal shaft length 130 mm, cutter diameter 120 mm, sliding table width 970 mm, power 3.31 KW	253	FEMI Grinding machine with grinding disk, Disc diameter 400 mm, power 2.2 HP
233	Tenoning Machine, For aluminum, see photos	254	HOLZ-HER Trolley, Hydraulic trolley for panels, pump to be serviced
234	EMMEGI Double head miter saw for aluminum, Max working dimension 150 x 240 mm, blades diameter 450 mm	255	COMAFER BRIO 35 Briquetting Machine, Bowl diameter 1000 mm, height 940 mm, diameter briquettes 55 mm
235	Painting pump, See photos	256	OMS 4 M.P Chain Mortiser, Vertical stroke 180 mm
236	COMALL Dowel inserting machine, For aluminum profiles	257	Fan, Power 2,2 kW
237	REKORD Lot of milling tools for frames, Lot consisting of 16 cutters, internal diameter 35 mm	258	FRAMAR MC 50 Chain Mortiser, Head vertical stroke 180 mm, door max height 1000 mm
238	ABAC Compressor, Power 5.5 Hp, capacity 300 liters	259	SIEV FILCORD 252 Welding Machine, 50 A/16,5 V - 250 A/25.5 V, without boiler
239	SAC FCS 850 Pantograph, Power 4.5 HP	260	Lot of Extraction Arms, Ø 250 mm, length 1600 mm, 62 pieces
240	OMGA Radial Saw, Blade direction 1200 mm, blade diameter 350 mm, power 4 HP	261	CASADEI F 115 Moulder, Shaft Ø 35 mm, power 4 kW, tabletop size 2500 x 450 mm, with 3 rollers feeding system
241	L'ARTIGIANA Sliding Table Saw, Without engine, disassembled, see photos	262	CASOLIN ASTRA SE 400 Sliding Table Saw, Blade Ø 300 - 400 mm, blade shaft Ø 30 mm, engraver Ø 120 mm, engraver shaft Ø 20 mm, slide size 3200 x 360 mm, power 4 kW
242	MARZANI Chamfering machine for pallets, Power 0.55 KW	263	ALFAMACCHINE MINIGRAF 3 Stapler, Frame max width 100 mm, max thickness 120 mm
243	FREUD Lot of milling tools, Lot consisting of 10 cutters, see photos	264	MINIMAX L 55 N Band Saw, Tabletop size 2500 x 920 mm, power 2.2 kW, rollers width 170 mm
244	Bench for windows and doors, Extendable, see photos	265	Compressor, With tank capacity 270 litres, see photo
245	Milling machine, See photos	266	Manual Brushing Machine, Power 0.5 HP, brush Ø 200 mm, tabletop size 1000 x 1000 mm, arm length 2000 mm
246	BRANDT KTU 51 Edgebander, For pre-glued edges, power 4.5 KW	267	SAMCO LL Belt Sander, Tabletop size 2900 x 800 mm, rollers width 170 mm, power 3.5 HP
247	GIBEN Slot Mortiser, Diameter tip 16 mm, vertical stroke about 160 mm	268	ITALPRESSE V/2 2500 Panel Press, Max operating size 2500 x 1200 mm
248	Grinding machine with grinding disk, Disc diameter 500 mm, power 1.1 KW	269	Filtering System, With 2 bags Ø 450 mm, with 10 arms Ø 180 mm, length 1900 mm
249	RM Combined planer, Working width 410 mm, minimum working dimension (flush planer) 20 x 20 x 250 mm, minimum working dimension (thickness planer) 5 x 520 x 250 mm, maximum working height (thickness planer) 248 mm	270	JUNGHEINRICH AM 2200/TM 22 Pallet Truck, Forks length 1150 mm, max load 2200 kg
250	LEVIGALTECNICA MIKRO 1000/C Calibrating Machine, Tape size 2150 x 1030 mm, power 8.5 KW		
251	Tenoning Machine, Vertical shaft height 200 mm, diameter 40 mm, horizontal shaft length 130 mm, diameter 120 mm burs, blade diameter 350 mm		
252	ADM K30 Painting pump, See photos		

Lot	Description	Lot	Description
271	CORAL ZB Painting Booth, Aspiration system engine 5.5 HP, Extraction wall size 3000 x 2000 mm		
272	SIPA BISPECIAL Chisel Mortiser, Altezza max di lavoro circa 180 mm		
273	C. SPADI Belt Sander, Larghezza nastro 100 mm		
274	Sliding Table Saw Protection, Vedere foto		
275	SEMPRINI EPM/70 Mortising Machine, Vedere foto		
276	Lot of Hooks for Painting, Lotto composto da 15 ganci per verniciatura, vedere foto		
277	AIGNER Protection grid, Universal new guides for Haigner Moulders		
278	RCM ARI11 Orbital sanding machine, Rotary sanding machine with fence for wall sanding.		
279	SAC INVICTA Chain mortiser, Stroke 150 mm		
280	SCM Z45 Panel saw, Cutting length 4.500 mm- Cutting height 80 mm		
281	Circular saw, Blade diameter 400 mm, sliding table stroke 540 mm		
282	Long belt sander, Table size 3000 x 800 mm		
283	ZM ENGINEERING 4500 BF F7 Machining center, Power 6 kW, max working width 4500 mm, table size 4500 x 210 mm, with drilling head with 7 bits, wheelbase approx 36 mm, double tenoner unit, drilling head with one spindle, see photos		
292	GHERMANDI SUPER OLIMPIA 510 Calibrating Machine, Max working width 510 mm, max working height about 180 mm		

Please contact us!

Surplex • Wahlerstraße 4 • 40472 Düsseldorf
Tel.: +49 (0)211 422737-0
Fax: +49 (0)211 422737-17
info@surplex.com

About Surplex



Second-hand machines: solutions

Surplex was established in 1999 as a purely Internet-driven marketplace. Today the company is among the leading European providers with a full range of services in the market for second-hand machines and is active on a worldwide basis.

The core of our business is the sale of used machines and plants for the metal, woodwork and synthetic material industries. Mostly we sell fast and efficiently directly from the location of the machine. Wherever possible, our customers will be able to inspect the machine thoroughly with regard to its condition whilst still in the production stage.

Machines that do not stay with the vendor will be disassembled by trained experts and marketed directly from the warehouse. Again we provide prospective buyers with comprehensive technical information, videos etc. These so-called "sales by private contract", which you can find in our Internet marketplace, are always used in cases where individual machines or small quantities of industrial goods are to be sold.

If large quantities of remaining stocks, entire machine parks or complete plants are to be sold, industrial auctions are the means of choice. In this area, Surplex has particular strengths. Names such as ABB, Bayer, Daimler, Linde and ThyssenKrupp are found on the reference list. We accept all tasks before, during and after an auction. This includes, for example, the valuation and stocktaking of the machines and also clearing the workshops and their handover in a swept clean condition.

In this way, Surplex integrates the expertise of machine dealers, agents and industrial liquidators and provides solutions all from a single source!

All machine offers and auctions can be found at www.surplex.com.

Surplus machinery in stock?

Surplex buys at fair conditions!

You know Surplex as one of the European leads in the sale and valuation of used machinery.

But do you know our whole range of activities, e.g. purchase of used machinery, appraisals, removals, storages and closure of industrial plants?

Please contact:

Tel: +49 (0)211 422737-0 or info@surplex.com



www.surplex.com