

## Final Sale SCHLUMBERGER: Machinery & Equipment - Low Starting Bids

61 lots

### **Bidding ends:**

Thursday, 17 January 2019, from 10am (local time)

### **Viewing:**

Tuesday, 15 January 2019, from 10am to 3pm (local time)  
and by prior appointment

We will auction off approx. 60 items from site closure of a renowned oil & gas industry supplier, e.g.:

- ZEISS Measuring Machine
- BRIDGEPORT Vertical Machining Centres
- HARRISON Teach-In Lathes
  - FIRST Milling Machines
  - CINCINNATI Tool Grinders
- CHARMILLES Eroding Machine
  - ALMIG Compressors

Also available: tools, measuring devices and machines, forklifts, workshop equipment & much more

Bids are welcome immediately and can be placed at:  
**[www.surplex.com](http://www.surplex.com)**

Lot	Description	Lot	Description
1	TORNI TACCHI FT 35 CNC 350 x 4000 Deep-Hole Drilling Machine, Equipped with SIEMENS SINUMERIC 840 D control, MAYFRAN chip conveyor and LOSMA SYNTHESIS oil mist extraction and oil treatment FACET INTERNATIONAL COSEMA FTR 12, tank capacity 10000 l, further accessories, technical data according to PDF document	89	HARRISON ALPHA PLUS 400 S Cycle Lathe, HARRISON/GE FANUC control, turning diameter 400 mm, turning length 1250 mm, spindle bore 54 mm, 15 to 2500 rpm, motor power 7.5 kW - Machine Specification as per PDF-file
10	MISSLER Horizontal Band Saw, With MISSLER-COMPUCUT control, 2 infeed roller conveyors 8 m and 2.2 m, 1 outlet roller conveyor 1.8 m long, with spare saw bands 6200 mm	93	GILDEMEISTER MICROSET EGH 3050 Tool Presetting Device, Tool presetting device with turret holder, PC and software MICROSET DPC, incl. plug gauge
19	CHARMILLES ROBOFORM 41 Vertical Eroding Machine, Technical data according PDF document	138	PYTHON 500 kg Pillar Jib Crane, Jib radius approx. 4000 mm, hook height approx. 3000 mm, total height approx. 4500 mm, crane trolley HITACHI
57	Lot of Outside Micrometers, Manufacturer MITUTOYO and others, inch sizes	162	Pallet Rack without Contents, Compartment width 2700 mm, 3 levels, 2 supports, max. load per level 2000 kg, rack depth 950 mm, dimensions 3000 x 1000 x 2600 mm
73	3 Gauge Blocks (Inch Dimensions), Partly not complete	208	Test Bench, Table dimensions 1540 x 920 x 840 mm
86	BRIDGEPORT VMC 500 Vertical Machining Centre, HEIDENHAIN TNC 370 control, table size 835 x 360 mm, travels 500 x 340 x 520 mm, ISO 40 spindle, max. 4000 rpm, tool changer with 16 positions, machine is equipped with JONES & SHIPMAN dividing head, chuck diameter approx. 200 mm, B axis (4. axis) integrated in control - Machine Specification as per PDF-file	241	UNIVERSAL 483 PDH-DC 100 Sandblasting Cabin, With feeding unit, for machining round material, machine is supplied with extraction unit and blast material return unit, max. feeding diameter approx. 300 mm
87	BRIDGEPORT VMC 500 Vertical Machining Centre, HEIDENHAIN TNC 370 control, table size 835 x 360 mm, travels 500 x 340 x 520 mm, ISO 40 spindle, max. 4000 rpm, tool changer with 16 positions, machine is supplied with JONES & SHIPMAN dividing head, chuck diameter approx. 200 mm, B axis (4. axis) integrated in control - Machine Specification as per PDF-file	250	CINCINNATI Tool Grinding Machine, Table length approx. 600 mm, machine was rebuilt by NGB ENGINEERING, accessories available in the following lots
88	HARRISON ALPHA PLUS 400 S Cycle Lathe, HARRISON/GE FANUC control, turning diameter 400 mm, turning length 1250 mm, spindle bore 54 mm, 15 to 2500 rpm, motor power 7.5 kW - Machine Specification as per PDF-file	252	CINCINNATI Tool Grinding Machine, With vice for workpiece holder, accessories available in the following lots
		253	Pallet of Accessories for Grinding Machines (CINCINNATI), Pallet with various holders etc.
		260	Pallet of Protective Material, Various protective materials, filters, gloves, hearing protection etc.
		263	HUVEMA HU 460 X 1500 Centre Lathe, Turning length 1500 mm, swing over bed 460 mm, machine equipped with support mounted steady rest, digital display, tailstock and steady rest, tool holders and suitable workbench

Lot	Description	Lot	Description
265	HUVEMA HU 460 X 1500 Center Lathe, Turning length 1500 mm, swing over bed 460 mm, machine equipped with support mounted steady rest, digital display, tailstock and steady rest, tool holders and suitable workbench	518	CAT GP 25 NT Gas Forklift, Max. lifting force 2500 kg, lifting height 3700 mm, fork length 1150 mm, equipped with a tarpaulin cabin. Operating hours 2610, Collection only in calendar week 8+9
268	FIRST LC-205 VSD Universal Milling Machine, Table size approx. 1000 x 300 mm, spindle holder SK 40, machine equipped with vice, dividing head and Newall digital read out, spindle speeds 60 to 3600 rpm, connected load 9 A	519	CATERPILLAR GP 40 K Gas Forklift, Power 69 kW, with sideshift, max. lifting height 3300 mm, max. lifting weight 4000 kg, operating hours: 6118 h, with tarpaulin, wipers, forklift is partly still in use. Collection only in calendar week 8/9
294	Test Bench, Table dimensions 1220 x 910 x 890 mm	521	ICEM CTS 12/33 6 F Electric Forklift, Max. lifting capacity 1200 kg, max. lifting height 3360 mm, battery weight 260 kg, machine is secured by numeric control, fork length approx. 1150 mm, with circular warning lamp, machine will be delivered with battery charger. Collection only in calendar week 8 + 9
367	Indexable Inserts, Manufacturer mainly SANDVIK, indexable inserts in box unused, article number and details see photos	531	MIDLAND HPESE 20 Pallet Lift Truck with Scale, Lifting capacity 2000 kg, fork length approx. 1150 mm
370	Indexable Inserts, Manufacturer mainly SANDVIK, indexable inserts in box unused, article number and details see photos	550	COMAC TRIPLA 75 II Floor Cleaning Device, Ride-on mower with battery charger
438	TAYLOR 2 Machine Vices, Jaw width approx. 150 mm	650	Pallet with Replacement Tools, Sleeves etc. SK 50, Pallet as replacement suitable for lot 75 and lot 74
457	Test Mandrels, Test mandrels with test sizes 0.061 " - 0.25 ", 0-25" - 0.5 ", partly incomplete, in plastic cases (defective)	672	FIRST LC-205 VSD Milling Machine, Max. 3000 rpm, power requirement 4 kVA, with various accessories, on table, table length approx. 1000 mm, table width approx. 250 mm, with digital readout NEWALL. WITHOUT SECOND DEVIDING ATTACHMENT. SEE PICTURES
472	3 Workbenches, 3 Workbenches each approx. 3000 mm length, worktop assembled, depth approx. 800 mm, workbenches partly welded	700	ZEISS CONTURA G 2 10/16/6 AKTIV Coordinate Measuring Machine, Serial number 200709501073, model CONTURA G 2; 10/16/6, AKTIV, technical basic data see PDF document - machine dismantled and secured by ZEISS
473	MITUTOYO Calibration Rods for Outside Micrometers (inch), 6 packages with calibration rods, 1 - 11"	720	PARKER 3552-NITROSOURCE MAIN Nitrogen Gas System, Consisting of PARKER NITROSOURCE nitrogen gas system with storage tank, filters must be renewed, dimensions storage tank approx. 7500 x 1800 x 2300 mm
474	MITUTOYO Calibration Rods (imperial), 6 packages with calibration rods, 1 - 11"	721	COMPAIR L 75 SR-13 A Air Compressor, Volume rate 13.98 m <sup>3</sup> /min, installed motor power 75 kW, stage pressure 13 bar, control DELCOS 3100
503	STAHL ST 30 Crane Trolley, Crane trolley with a traction force of 3 t, including drive motor, on beam, hook height 4 m, crane trolley will be delivered without crane beam		
514	DOOSAN B 15 T-5 Electric Forklift, Max. lifting force 1.5 t, including battery charger, max. lifting height 3700 mm. Operating hours 3.503,7 on January 15th,2019 - Collection only in calendar week 8/9		
516	DOOSAN G 18 S Gas Forklift, Power 26.8 kW, max. lifting height 3700 mm, with tarpaulin cabin, forklift is secured by a combination lock, max. lifting force 1800 kg. Operating hours 8.757,6 on January 15th,2019 - Collection only in calendar week 8+9		

Lot	Description	Lot	Description
722	ALMIG Compressor System, Plant consisting of compressor ALMIG VARIABLE 55, YOM 2012, volume flow 2,11 - 10,58 m <sup>3</sup> /min, pressure 5-13 bar, control: Air Control 3, Hours under power 34.694, Oil-water separator GEN 2 PLUS, compressed air dryer ALMIG ALM 900, YOM 2012 and compressed air vessel ABBOTT, year 1987	740	ALMIG Compressor Plant, Unit consisting of compressor ALMIG VARIABLE 70, YOM 2013, volume rate 2.69 to 12.94 m <sup>3</sup> /min, pressure 5 to 13 bar, motor power 45 kW, hours under power 30.319, with ALMIG AIRCONTROL P, COMPAIR air dryer F140T, YOM 2006, air receiver vessel with capacity 2000 l, YOM 2006, COMPAIR oil-water separator CS 2500
723	SIAP Compressed-Air Vessel, Volume 300 l, PS 10 bar, PE 15 bar		
724	EMPTEEZY Dangerous Goods Storage Container, Suitable for storage of IBCs and oil barrels, with liquid collecting device		
725	Pallet Storage Rack, .		
726	STAHL Lifting Gear/Crane Trolley, Load capacity 2000 kg, without crane girder		
727	2 Workbenches, .		
728	2 Workbenches, .		
729	3 Workbenches, Work surface 2 pieces approx. 2000 x 600 mm, 1 piece approx. 1500 x 600 mm		
730	Lot of Storage Cabinets for Hazardous Goods, Consisting of 1 cabinet 900 x 450 x 900 mm and 2 cabinets 460 x 310 x 460 mm		
731	Lot of Storage Cabinets for Hazardous Goods, Consisting of 1 cabinet 900 x 450 x 1800 mm and 3 cabinets 460 x 460 x 310 mm		
732	BODE 5 VH Welding Turning Device, Rotating Plate		
733	KEF SLIBETTE 6 N Double-Wheeled Bench Grinder, For grinding stone diameter 150 mm		
734	P&J Deburring Workstation with Dust Extraction, Lot consisting of worktable with underfloor extraction, flexible NEDDERMANN extraction nozzle and P & J dust separator		
735	Rack with Content, Contents consisting of 1 machine light and 3 vices		
736	CLARKE CWB 114 Workbench, .		
737	CLARKE CWB 114 Workbench with Cabinet for Hazardous Goods, .		
738	JUSTRITE Oily Waste Can, Lot consisting of 6 containers with 21 gallon/80 l capacity and 3 containers with 10 gallon/34 l capacity		
739	METABO CS 14-15 Metal Cut-off Saw, .		

**Please contact us!**

Surplex • Wahlerstraße 4 • 40472 Düsseldorf  
Tel.: +49 (0)211 422737-0  
Fax: +49 (0)211 422737-17  
info@surplex.com

**About Surplex**



**Second-hand machines: solutions**

Surplex was established in 1999 as a purely Internet-driven marketplace. Today the company is among the leading European providers with a full range of services in the market for second-hand machines and is active on a worldwide basis.

The core of our business is the sale of used machines and plants for the metal, woodwork and synthetic material industries. Mostly we sell fast and efficiently directly from the location of the machine. Wherever possible, our customers will be able to inspect the machine thoroughly with regard to its condition whilst still in the production stage.

Machines that do not stay with the vendor will be disassembled by trained experts and marketed directly from the warehouse. Again we provide prospective buyers with comprehensive technical information, videos etc. These so-called "sales by private contract", which you can find in our Internet marketplace, are always used in cases where individual machines or small quantities of industrial goods are to be sold.

If large quantities of remaining stocks, entire machine parks or complete plants are to be sold, industrial auctions are the means of choice. In this area, Surplex has particular strengths. Names such as ABB, Bayer, Daimler, Linde and ThyssenKrupp are found on the reference list. We accept all tasks before, during and after an auction. This includes, for example, the valuation and stocktaking of the machines and also clearing the workshops and their handover in a swept clean condition.

In this way, Surplex integrates the expertise of machine dealers, agents and industrial liquidators and provides solutions all from a single source!

All machine offers and auctions can be found at [www.surplex.com](http://www.surplex.com).

**Surplus machinery in stock?**

**Surplex buys at fair conditions!**

You know Surplex as one of the European leads in the sale and valuation of used machinery.

But do you know our whole range of activities, e.g. purchase of used machinery, appraisals, removals, storages and closure of industrial plants?

Please contact:

Tel: +49 (0)211 422737-0 or [info@surplex.com](mailto:info@surplex.com)

